Advice for Event Advisers and Controllers – How to control SPORTident

This paper is intended to equip an Event Adviser or Controller with sufficient information to be able to check that the organiser is using the SPORTident system effectively.

There is now some information about the SPORTident Air+ system which is quite new. Most of the document refers to the "traditional" SPORTident system.

Technical information about SPORTident Equipment

(also at http://www.sportident.com)

Competitor cards:

SI-Card 5 The 'classic' and most widely-owned SI-card. Can hold 30 punches with code and time, 6 more with code only (but the order of visiting is known) plus start, finish and check times. Punching time 0.33 seconds. Card nos 1 - 499999

SI-Card 6 Can hold 64 punches with code and time plus start, finish, clear and check times. Punching time 0.13 seconds. Card nos 500000 to 999999

SI-Card 8 Can hold 30 punches with code and time plus start, finish and clear times. Punching time 0.115 seconds. Card nos 2000000 – 2999999 Can only be used with SI-stations BSF-7/8 on at least firmware 4.49

SI-Card 9 Can hold 50 punches with code and time plus start, finish and clear times. Punching time 0.115 seconds. Card nos 1000000 – 1999999 Can only be used with SI-stations BSF-7/8 on at least firmware 4.49

SI-Card 10 Can hold 128 punches with code and time plus start, finish, check and clear times. The ComCard (which is integrated into a thumb compass) contains an SI-Card 10 chip. Punching time 0.060 seconds. Card nos 7000001 – 7999999 Can only be used with SI-stations BSF-7/8 8 on at least firmware 5.74.

SI-Card 11 Can hold 128 punches with code and time plus start, finish, check and clear times. Punching time 0.060 seconds. Card nos 9000001 – 9999999 Can only be used with SI-stations BSF-7/8 8 on at least firmware 5.74. The SI-Card 11 has an LED which flashes for several seconds when the card is successfully punched at an SI-Control. When, the battery eventually runs down, the card still provides the same functionality as an SI-Card 10. During the time that the card is flashing, a further punch cannot be achieved. This means that the card is not

suitable for some activities such as use by the planner to rapidly punch all the boxes on a table to see if they are working.

ComCard Pro. This is a combined compass and SI-card 10.

ComCard Up. This is a combined compass and SI-card 8.

SIAC1 (AC stands for "Active Card") Can hold 128 punches with code and time plus start, finish, check and clear times. Punching time 0.060 seconds. Card nos 8000001 – 8999999. This card is designed for use with SI-beacon units which allows punching at a distance from the control. The tip of the card flashes quite brightly when a punch has been recorded and the card emits an audible beep. The flashing continues while the card is in the field of the control and then for 3 seconds. It can also be used in the traditional way with SI-Stations 7/8 on at least firmware V5.74. The battery life is expected to be about 4 years.

All of the above cards, except for SI-Card 11 and SIAC1, are 'passive'; they have no battery in them and their lifetime is therefore almost unlimited.

Control units

All SI units can be configured as Clear, Check, Start, Control or Finish. The 'Stay Active' time can also be configured (the default is 2 hours). This configuration is done by connecting a unit to a computer via a 'Master' station and using the SI Config+ program.

The units are generally in Stand-by mode. However, when a unit is punched (and that first punch takes a relatively long time – 1 second), the unit switches to Active mode. The unit then operates normally until the limit of the Stay Active time is reached. But any further punches reset that countdown, so the unit only switches back to Stand-by mode 2 hours (or whatever the Stay Active Time has been set to) after the last person punched it.

There are a couple of 'special' SI cards that come with the kit. One is a purple 'Service-Off' card that will manually switch a unit into Stand-by mode. There is also a purple 'Clear Back-up memory' card.

The internal clock is temperature-compensated and is accurate to about 1 second per day. A special 'Time Master' station can be used to **synchronise** the clocks in the control units, or they can also be synchronised when the control units are connected to the computer.

The control units have internal software to control them, known as **firmware**. From time to time, new versions of firmware are released to correct bugs or to

handle new types of SI card. The firmware can be downloaded from the SPORTident website and applied to the control units using a program SI Config+.

The types of control unit are:

BSF-8 This is the newer smaller size 101x51x19 mm weighing 62 g. The lithium battery typically lasts 3-5 years. The back-up memory holds 21802 punches (maximum 1022 SI-Card data records) and when full, the oldest data is overwritten. There is a display on the underside showing station type and code (clear, check, control 138 etc) and clock time. Using the Service-Off card to activate the unit causes other information to be displayed such as battery voltage, firmware version etc. The batteries can be changed by SPORTident. BSF-8 units can be set to operate in "beacon" mode for the SPORTident Air+ system using SIAC1 cards with a punching range of about 50 cm.

BSF-7 This is the 'classic' larger size 115x62x32 mm weighing 148 g. It is functionally exactly the same as the BSF-8 except that the lithium battery has twice the capacity, typically 4-7 years. BSF-7 units can also be set to operate in "beacon" mode for the SPORTident Air+ system using SIAC1 cards with a punching range of about 50 cm.

BSF-6 and earlier versions had much shorter battery lives but the three-cell battery could be changed by the user. They don't have a display and are only compatible with SICard5 and Si-Card6.

BS11 control units are solely designed to be used in "beacon" mode with the SIAC1 cards. The units use rechargeable batteries:

BS11-BS blue punching range up to 120 cm - intended particularly for MTBO

BS11-BL punching range up to 3 m –usually used in pairs to create a finish line.

The BSF6, 7 and 8 control units bleep and flash when a competitor punches correctly. Competitors who are hard of hearing (and all competitors when there is other noise) may need to rely on the flash to confirm correct punching, so it is important that the small flashing light is not covered by stickers.

The punching process

The following are the stages of the punching process:

- 1. Competitor inserts card into the hole in the unit
- 2. The unit reads the competitor's card (this is very quick)
- 3. The unit writes the control code and time into the competitor's card (this is the 'longest' process)

- 4. The unit reads the competitor's card to verify that it has been written correctly
- 5. The unit bleeps and flashes and writes the card number and time into its back-up memory.
- 6. Competitor withdraws card

With the Air+ system, the SIAC1 card acts simply as a receiver to record the punch. There is no record of the punch in the BS11 unit and the punch does not restart the Stay Active countdown. However, the BS11 unit can be configured so that its signal tells the card to transmit the current punch details along with the SI card number, or even all the punches in the card along with the SI number. These details can be collected and processed (e.g. radioed to the speaker) by a computer with a dongle in the vicinity of the control.

Decisions to be made in advance

Punching start or timed start. A punching start is more flexible but is not appropriate for top-level competitions. Note that if a start time exists in the card, then the results programmes will generally use it. So it is possible to use a timed start for most, but allow those who need flexibility (e.g. officials, split starters etc) to use a punching start. Some results software has an option which controls whether a punching start overrides the allocated start time.

Punching finish or timed finish. A punching finish is the only practical solution for very large numbers of competitors. For smaller numbers (e.g. a World Cup) the SI light beam unit system can be used but that requires very careful management to correctly associate the time that the beam was broken with the competitor, especially if competitors' bodies overlap on the finish line.

Back-up pin punch. The rules say (Appendix 4) "With respect to the *SPORTident* system, a backup needle punch must be present at each control. It is the competitor's responsibility to ensure that the electronic punch is in the e-card by not removing the e-card until the feedback signal has been received. If, and only if, no feedback signal is received, the competitor must use the backup punch."

Number of control units. Multiple units should be provided in the following circumstances:

- At the last control
- At the finish if a punching finish is used
- At early controls on a relay
- If a control site is heavily used (say more than 6 competitors per minute)
- When the standard of competitors using a control varies greatly so that some slower users (e.g. very young children, the elderly) may be impede more elite competitors

Only one control flag must be used at the control site, even though there may be multiple stakes (though at a punching finish, each stake must have a control flag).

Procedures

Checking the control sites

In many areas, stakes can be put out a few days in advance, perhaps with the flag collapsed on the ground. The controller can then check the position of most of the stakes in advance of the competition day.

On the day, the planner and helpers take the boxes out to the control sites. There is then no need for the controller to visit sites on the day, except for those few vulnerable ones which could not be placed in advance.

The planner should punch all the boxes before they go out to make sure they are working. And the planner must then read out the SI-card, to check that the controls are correctly time synchronised. A SPORTident mini-printer is very useful for this. It is really annoying for competitors if any controls do not have the correct time as it messes up their splits, and it is a nuisance for the organiser to correct.

The people placing the boxes should also have a cleared e-card and should punch them once they are in position as a final check that the boxes have not been damaged in transit.

Remember that control units will not bleep when punched by a full SI card. So the planner and helpers must have sufficient cleared SI cards. The 'classic' mistake is for the planner or controller to declare that some units are not working, when in fact it was just that their SI-card was full.

A full SI-Card will actually switch BSF-7/8 stations from Stand-by to Active mode but there is no beep and there is no punching record in the SI-Card.

Spare units

The planner should have a few spare time-synchronised boxes to hand. They should have the code with which they have been programmed written on unobtrusively (e.g. on the underside) so that if one has to be used to replace a faulty unit, competitors are not confused. Note that the software will allow a replacement control code to be entered to cater for such eventualities. Spare clear, check and start units should also be prepared and available at the start, and a spare finish unit at the finish.

Daylight saving change

If the event is on the Sunday of the weekend when the clocks change, then special care must be taken. The control units will not know about the hour change!

Control unit preparation

Before the event, the **back-up memory of all the control units should be cleared**. (That can be done with a special SI-card, via a pc using Config+ or with the Time Master in Extended Mode).

The **voltage of all units should be checked** to make sure that the batteries are OK. On BSF-7 and BSF-8 units, this can be seen on the display on the back and should be in the range 3,30 V and 3,50 V.

For older units (BSF-6 and earlier), the estimated voltage (based on usage since the last battery change) can be seen when the unit is connected to a computer. However, there is a tendency for one cell of the three to suddenly go 'flat', so the only way to be sure about the voltage is to unscrew the box and check the voltage with a voltmeter.

It is vital that units are **time synchronised**. That can be achieved using a computer or by using the time master. Use of the time master avoids bothering with a pc (except to synchronise the time master itself to radio time).

The synchronisation steps are

- a) the start clock (if used) must be synchronised exactly to non-digital radio time pips. Note that digital radio time pips are delayed by several seconds.
- the time on a computer must be synchronised to non-digital radio time pips or internet time. (Beware of introducing unsynchronised times if a unit has to be re-programmed in an emergency, and the computer used is not itself synchronised)
- c) the time master is synchronised to the computer
- d) the time master is used to synchronise all the control units (or else all the control units are synchronised to the computer, but that is more work).

For a timed start and punching finish, all the above steps must be carried out.

For a punching start and punching finish only step d) is required.

When used in "Extended" mode, the time master not only synchronises the time but also clears the back-up memory and sets the Stay Active time to the same as the time master.

It is very important that for competitive events 'real' competitors do not find the controls in Stand-by mode. The controller, planner or pre-runners must punch all the controls in the morning, and the Stay Active Time must be set so that the controls are still active when the first real competitor visits. (The default 2 hours is normally insufficient and should be adjusted; 6 hours will normally be adequate. Note, this adjustment only needs to be made once; it does not have to be repeated for each event).

In any case, all control sites need visiting on the competition day to ensure they are in position and intact, and all boxes need punching to check that they are working. For international events, it is always advisable to use pre-runners as a final check.

The Start

Spare SI cards should be available at the start, especially if the start is a long way from assembly. It is often helpful to have the clear stations at the exit from assembly which will reduce the number who will forget their cards. Of course a further clear station must also be available at the start to deal with anyone who has not cleared correctly.

An official should hold the check box in their hand and check all competitors' cards individually. A competitor who fails to clear their card will also probably not know what to do with the check box. The check box will only bleep if it can read the card and the card is cleared. Note that the start unit will also not bleep unless the card is cleared.

The start officials must be made aware of the importance of checking all competitors and returning the check boxes speedily to the results processing after the last starter has departed.

If a punching start is used, great care must be taken to ensure that all competitors punch the start box; beginners may not realise that they have to do that.

Late starters

For a timed start, late starters must be set off according to IOF rule 22.9. Competitors who are late for their start time shall be permitted to start. Their new start time must be recorded.

- In a mass or chasing start, the competitor shall be started as soon as possible.
- In an interval start, if the competitor is at the start line less than half the start interval after their start time they shall start immediately.
- If the competitor is at the start line more than half the start interval after their start time they shall start at the next available half start interval.

The question of whether the lateness is the organiser's fault (and therefore whether their start time can be adjusted) should be dealt with at the finish.

The competitor's actual start time must be recorded, for example by punching a "dummy" control box (e.g. with code 11), and the competitor can be left to complain to the organiser if he/she feels that the actual start time should be used. If all the late starters were the organiser's fault (e.g. the minibus got lost) then the back-up memory of the dummy control can be used to identify and correct the times of affected runners.

Version: 1 February 2016

The finish

If a punching finish is used, particular care should be taken to ensure that the finish units are synchronised. The finish banner should be placed in line with the finish boxes and a control flag **must** be placed on each stake to make the finish units visible to a fast-finishing runner.

In the case of a major relay, a single finish unit should be placed just beyond the finish line, and the results of close finishes (at least for the podium places) should be determined by judges. The exit from the finish line to the finish punch should be narrow enough to ensure that finish officials can maintain the finish order from the finish line to the finish control. For close finishes, the judge's decision will be final, and so that may mean a little editing of the finish times is required to get the order right.

Competitors should be encouraged to go directly to download.

SPORTident Air+

So far there is limited experience of using SPORTident Air+. In FootO, it is particularly intended for use in urban Sprint Relays where a whole group may arrive at a control together and there may be little space to place multiple punching units.

It is very important to check that

- a) all control units are correctly programmed and have sufficient battery life (BSF7/8) or are charged up (BS11)
- b) all competitor SIAC1 cards have sufficient battery life for the race. They **must** all be put into the special SIAC Battery Test unit which gives a warning signal if the SIAC1 battery is low.
- c) all competitors **check** their SIAC1 because that turns the card on
- d) there is no chance for runners to go near the finish during their run, because passing the finish turns the card off
- e) the control placements are suitable, for example there should be no chance to punch from the wrong side of an uncrossable fence
- f) the control units have been turned on by being punched directly (BSF7/8) or using a magnet (BS11)
- g) the Stay Active time is sufficient for the whole duration of the event. Allow at least an hour extra!
- h) the controls are operating correctly it should be possible to record a punch from a distance of about 50 cm.

Results

There are a number of different results-software providers. The results team must be very familiar with the software being used and know how to manage all the issues that arise during a competition. It is generally best to quickly move all "problem" competitors at download onto a separate troubleshooting desk staffed by an expert, allowing normal downloading to continue.

If a competitor has a **missing punch**, the first thing to check is whether there is an extra punch on their splits around the appropriate time with an asterisk. That indicates that they went to the wrong control. (Or if it happens with an early finishing competitor, it may mean the course has been entered wrongly to the computer and needs correcting, or a box has the wrong code programmed into it in which case the replacement control function can be used.)

If there is no punch in the competitors card for the correct control, and there is evidence that the control unit is functioning properly (e.g. most other people punched OK there), then the competitor must be disqualified.

Note that other evidence of being at the control is not acceptable, because the competitor must both visit the control and punch properly. In the case of SPORTident, punching properly means putting the SI-card in the hole and getting the feedback (bleep/light). If the back-up memory of the unit is subsequently read-out, it may well show that the competitor was at the control. But normally in such cases, it merely confirms that the competitor punched too fast. If the punching process has not been completed, the back-up memory will contain the card number plus an error code to indicate that the punching process did not complete. The competitor must not be reinstated on that evidence. Rule 20.5 states: A competitor with a control punch missing or unidentifiable shall not be placed unless it can be established with certainty that the punch missing or unidentifiable is not the competitor's fault. In this exceptional circumstance, other evidence may be used to prove that the competitor visited the control, such as evidence from control officials or cameras or read-out from the control unit. In all other circumstances, such evidence is not acceptable and the competitor must be disqualified. In the case of SPORTident, this rule means that:

- If one unit is not working, a competitor must use the backup provided and will be disqualified if no punch is recorded
- If a competitor punches too fast and fails to receive the feedback signals, the card will not contain the punch and the competitor must be disqualified (even though the control unit may have recorded the competitor's card number)

If there is a problem with a control (misplaced or stolen) to such an extent that no acceptable result can be produced for the competition, then the course must be declared void. It is tempting to try to 'correct' the problem by removing the splits either side of the relevant control, but this means that competitors are not being measured over the planned course and introduces distortions such as unfairly benefiting runners who lost time on the subsequent control. IOF rule 24.15 says The results must be based on competitors' times for the whole course. It is forbidden to eliminate sections of the course on the basis of split times unless the section has been specified in advance (e.g. a short section containing a busy road crossing).

Identifying missing runners

The check stations must be delivered to the results processing after the last start so that their back-up memory can be downloaded and the software can then know who really started. Note that it is very important that the back-up memory of the check boxes was cleared before the event. Once the check boxes have been downloaded, lists of missing runners can easily be produced.

It is worthwhile being careful about the combination of check station version, master station version and software as some combinations work better than others. It is important to test the download method in advance, to avoid delays on the day.

Results publication

On the afternoon/evening after the event, the split times should be uploaded to sites such as:

- WinSplits
- Route Gadget (if available)
- SplitsBrowser

Splits comparisons are very interesting in the few hours and days after the event, but interest declines rapidly with time.

David Rosen
Chair IOF Rules Commission
dandmrosen@btopenworld.com
1 February 2016
I would be pleased to receive suggestions for improving/updating this document.

Changes since the last version – July 2015.

- Reference to new late start rules
- ComCard mentioned